


HIGH EFFICIENCY INFRARED BURNERS



- ▶ BROILERS
- ▶ DONER KEBAB
- ▶ ROASTING OVENS
- ▶ DRYING DEVICES



*International
manufacturer of
industrial and
commercial heating*

INDUSTRIAL INFRARED BURNERS



BURNERS TYPE Z

Type	Dimensions (mm)			Weight Kg
	A	B	C	
BR 6Z	205	129	86	0,90
BR 8Z	268,5	129	86	1,10
BR 10Z	318	129	86	1,30
BR 12Z	395	129	86	1,50
BR 16Z	519	129	86	1,90

BURNERS TYPE ZL

Type	Dimensions (mm)			Weight Kg
	A	B	C	
BR 8ZL	525	70	136	1,50
BR 12ZL	777,5	70	136	2,20
BR 14ZL	882	70	136	2,40
BR 16ZL	1 030	70	136	2,70

BURNERS TYPE PNZ

Type	Dimensions (mm)			Weight Kg
	A	B	C	
BR 5PNZ	330	70	86	0,80
BR 8PNZ	519	70	86	1,20

Ignition

- Manually or
- Automatically

Gas / Pressure


- G31 (Propane) 37 mbar.
- G20/25 (natural gas) 20/25 mbar.
- Others: Combined detailed chemical gas composition.

Gas Entrance

- 1/2" cylindric male (G 1/2)

Block Injector holder


- Axial
- 90° angle




For all requests or additional information, please feel free to contact us.

	Type	Pressure	Consumption	
			Propane kg/h	natural gas m ³ /h
Z	BR 6Z	2,80 kW	0,195	0,265
	BR 8Z	3,65 kW	0,260	0,350
	BR 10Z	4,25 kW	0,300	0,400
	BR 12Z	5,65 kW	0,400	0,540
	BR 16Z	7,50 kW	0,530	0,715
ZL	BR 8ZL	3,40 kW	0,255	0,325
	BR 12ZL	5,65 kW	0,400	0,540
	BR 14ZL	6,60 kW	0,465	0,630
	BR 16ZL	7,50 kW	0,530	0,715
PNZ	BR 5PNZ	2,20 kW	0,165	0,210
	BR 8PNZ	3,40 kW	0,255	0,325

- ☀️ Inox structure with ceramic emitters
- ☀️ High-performing radiation
- ☀️ Silent operation
- ☀️ Environment friendly combustion
- ☀️ Fast increase of temperature



International manufacturer of industrial and commercial heating
Thousands of satisfied customers world wide



 www.sbm.fr/en



3 Cottages de la Norge • 21490 Clenay
FRANCE

Tel : + 33 3 80 76 74 60

E-mail : info@sbm.fr

www.sbm.fr/en